



MOTOR OIL

INDUSTRIAL OIL

LUBRICATING GREASES

MOTOR OIL

Gasoline engines lubricant oil

HD HEAVY DUTY API SL SAE 40,50,60

Is a heavy Duty engine oil intende for use in gasoline automotive engines of passenger cars, comercial vehicles. Improved engine cleanliness.

SPORTIF MULTIGRADO API SN SAE 5W30, 10W30, 20W50

Designed for all types of recent model gasoline engines. Resistance to oxidation, wich reduces the formation od deposits on engine parts.

100% SINTÉTICO COMPETITION API SN/CK-4 SAE 5W30, 10W30, 5W40, 5W50

100% synthetic oil for high performance. Outstanding protection against wear prolongs the life of your engine .

HAUT KM (HIGH KILOMETER.) API SL SAE 25W50

Recommended for vehicles with over 100,000 kms. Reducing the oil consumption and the gas emission thet harms the environ- mente..

Diesel engines lubricant oil

DIESEL PERFORMANCE SERIES 3 API CF-2/CF SAE 40, 50,60

Recommended for heavy duty four stroke diesel engines and two engines Reduces the formation of glazes, varnishes and sludge on vital engine parts. Keeps engine clean

SUPERBE MONOGRADE API CI-4/SL

SAE 10, 20, 30, 40, 50, 60

Mineral oil for diesel engines. can be used with heavy cargo and passenger transportation vehicles, construction, mining and marine equipment.

DIESEL SUPER SERIES 5 API CF-4 SAE 40, 50,60

Recommended for turbocharged engines an naturally aspirated applications working in trasnportation, mining industry. Maintains longer correct viscosity, protecting the engine from premature wear.

ULTRA DIESEL SERIES 5 API CI-4 PLUS / SN SAE 15W40, 20W50

SUPER VISCOSITE MAX API CI-4 /SL SAE 25W50, 25W60

Higher viscosity for optimal prèssure at high temperatures and low. Extends engine life

SUPERBE MULTIGRADE API CJ-4/SN SAE 15W40, 20W50

Mineral oil for latest generation diesel engines. Helps to protect and prolong the useful life of engines with gas recirculation systems. Engines with EGR systmes

PREMIUM DUAL ACTION API CK-4/SN SAE 15W40, 20W50

Recommended for both gasoline an diesel engines.

100% SYNTHETIC DIESEL API CK-4/SN SAE 0W40, 5W20, 5W30, 5W40, 5W50, 10W30, 15W40, 20W50

Lubrication for modern, low emission, turbocharged, four stroke diesel engines. For use with ultra low sulfur diesel fuels.

TRAIN OIL VI Generación

Oil fro locomotives to diesel, under the specification conditions of LMOA, GE

Oils for 4 stroke engines

AIR HULE SAE 60 GRADE 120

This oils are especially appropriate during the break in period of most new or recently overhauled four stroke aircraft engines.

EXTREME MOTO 4T API SN JASO MA2 SAE 20W50

Specialized oil for all types of 4-stroke motorcy- cles. They comply with specification JASO MA2. Offers a high level of anti wear protection for gears.

Oil for 2 stroke engines

2 TEMPS SYTHETIC API TC -III, TCW3

100% synthetic oil . Recommended for two-stroke motors requiring a mixture of oil and fuel. Any equipment that operates a two stroke motor. Meets the National Marine Manufacturesrs Associations requirements for TC W3 quality.

2 TEMPS MINERAL JASO FC, API TC

Recommended fro two- stroke motors, generally outboard marine motors, snowmo- biles, motorcycles. I Oil got sit sn water cooled outboard motors.

Differentials and manual transmission oils

POWER TRANSMISSION FLUID TO4

SAE 10W, 20, 30, 40, 50

Recommended for manual transmission. Allows for smooth gear changes at a wide. Protects and lubricates gears, bearings and the turbine. Offers high oxidation resistance.

GEAR LUBE SAE 90, 140, 250 API GL-1

TMD MONOGRADO SAE 90, 140 API GL-4

TMD MULTIGRADO SAE 80W90, 80W/85W-140 API GL-5

TMD SYNTHÉTIQUE 75W90, 75W140 API GL-4

Recommended for manual transmission gearboxes on industrial, commercial transportation and construction equipment, when speeds are moderate. Offers good oxidation stability.

Automatic transmission oils and Power steering

ATF DEXRON III & MERCON (MULTIPURPOSE)

Fluid for all type of automatic transmission. Recommended as anti wear hydraulic flui for power steering. Universal fluid for DEXRON III & MERCON, MERCON V and CVT.

ATF SYNTHÉTIQUE (DEXRON VI, MERCON V, ATF+4, CVT)



INDUSTRIAL OILS



HIDRAULIC AND TRACTOR / OILS

- Tracteur 303 Api GI-4 Sae 10w30
- Hydro Synthétique 100%.
Iso 22,32,46,68,100,150.
- Hyken Iso 22,32,46,68,100,150,220,320.
- Hydro Aw G2 Iso22,32,46,68,100,150,220,320.
- Hydro Aw Hiv Iso22,32,46,68,100,150,220,320.

COMPRESSOR OIL

- Mineral Compressor Iso 32, 68.
- Synthetic Compressor Iso 22, 32,

PLASTICIZING OR PROCESS OILS

- Aromatics
- Naphthenic
- Paraffinics

CUTTING OILS

- Soluble.
- Soluble Anti Rust.
- Soluble Anti Rust B.
- Soluble Rb 50.
- Cutting Iso 32, 46.
- Cut Lost Iso 220.

CYLINDER OIL

(Cylinder)
Iso 460, 680.

BEARING OIL

Iso 46.

TRANSFORMER OILS

- Trans Kv Tipo I.
- Electrivolt No Inhibido Tipo II.
- Electrivolt Inhibido Tipo II.

GEAR OILS

- Rogear Ep Iso 46,68,100,150,220,320,460,680.
- Rogear Molly Iso 46,68,100,150,220,320,460,680.
- Rogear Syn Iso 150, 220, 320, 460.

LOST OIL

(Lost Oil)
Iso 68,100,150,220,320,460.

PNEUMATIC OIL

(Rock Drill)
Iso 46,68,100,150,220.

WITHE OIL

(Super White)
Iso 22.

COOLING OIL

(Siberian)
Iso 68.

ASPHALT OIL FOR SUGAR, MINING AND CONSTRUCTION INDUSTRY

- | | | |
|--------------------------|----------------------------|------------------------------|
| • Sugar
Iso 400, 600. | • Open Gear
1000, 2000. | • Black Ep
100, 200, 300. |
|--------------------------|----------------------------|------------------------------|

HARDENING OIL

(Quench)
16,18,20.

ELECTROEROSION OIL

(Electroerosión)

TURBINE OIL

(Turbine R&o)
Iso 32,46, 68, 100,150, 220.

HEAT TRANSFER FLUID

(Therm)
Iso 32, 46, 68, 100.

TEXTIL OIL

Iso 22.

COATING OIL

(Coating)
Iso 22 .

COLD DRAWING OIL

(Stretching)

METAL FORMING LUBRICANT

(Extrux)
Iso 460.

FORM OIL

(Desmold Steel)
Iso 68,150,220.

COATING OIL

(Coating)
Iso 46.





LUBRICATING GREASES

Automotive Greases

BENTONE GREASE TYPE B.A.T.

Grease designed for protecting high performance ball bearings and other automotive and industrial. Grade NLGI 2 y 3.

LITHIUM MULTIPURPOS GREASE

Grease of lithium multipurpose. Grade NLGI 1,2 y 3.

MOLLY LITHIUM GREASE

Grease of lithium and lubricating molybdenum disulphide for automotive and industrial equipment. Grade NLGI 1,2 y 3.

LITHIUM EP GREASE

Grease of lithium with extreme pressure additives. Grade NLGI 1,2 y 3.

LITHIUM GRAPHITE GREASE

Lithium and graphite based grease for automotive and industrial equipment. Grade NLGI 1,2 Y 3.

CHASSIS GREASE

Calcium lithium grease recommended for lubricating chassis. Grade NLGI 1,2 y 3.

COTTON PICKER LITHIUM GREASE

Designed exclusively for cotton picker machines. Grade NLGI 0 y 00.

CABLE RUST GREASE

Formulated with refined base oils thickened with lithium soaps, produced with the highest quality fatty acids. Grade NLGI 1.

ROUX TOP GREASE

Grease of calcium with extreme pressure additives, with excellent water repellency. Grade NLGI 2.

Synthetic and Lithium Complex Grease

BEROSYN GREASE

Grease of calcium sulphate bases, with extreme pressure additives and high degree of water wash resistance. Grade NLGI 2.

COMPLEX LITHIUM GREASE

Grease of complex lithium with extreme pressure additives. Grade NLGI 1,2 y 3.

INFRAESTRUCTURE



CORPORATE OFFICES

Av. Lázaro Cárdenas 1450
Col. Álamo Industrial
C.P. 45560
Tlaquepaque, Jalisco
México



MANUFACTURING MOTOR OIL, GREASES ADDITIVES AND ANTIFREEZE

Altos Hornos 1457
Col. Álamo Industrial
C.P. 45560
Tlaquepaque, Jalisco,
México



MANUFACTURING AEROSOLS

Av. Acueducto 173
Col. Álamo Industrial
C.P. 45560
Tlaquepaque, Jalisco
México



MANUFACTURING PAINT

Av. Oleoducto 2889
Col. Álamo Industrial
C.P. 45560
Tlaquepaque, Jalisco
México



LABORATORY

Av. Lázaro Cárdenas 1450
Col. Álamo Industrial
C.P. 45560
Tlaquepaque, Jalisco
México



TRANSPORT

Av. Lázaro Cárdenas 1448
Col. Álamo Industrial
C.P. 45560
Tlaquepaque, Jalisco, México

ROUX Industrial Group company with more than 65 años of experience in the manufacture, transport and commercialization of motor and industrial oil, synthetic, dielectric, plasticizing oil, additional greases, aerosols products, additives, antifreeze and a large assortment of specialties.

Are represented by the following own brands:



We are manufacturers of brands of international prestige.

Our Certifications:



CERTIFICADOS OBTENIDOS PARA LA EMPRESA.
LOS LOGOS SON PROTEGIDOS POR DERECHOS DE PROPIEDAD INDUSTRIAL.



LUBRICANTS AEROSOLS

TRANSPORT

www.gruporoux.mx

Tel.: 52 (33) 36 66 00 60
email: info@gruporoux.mx